

Guidelines For The Provision Of Medical Care

In South Georgia and other Antarctic Marine Areas By Seaborne Adventure Tourism Operators:

Prepared by World Extreme Medicine.

Commissioned by the Government of South Georgia & the South Sandwich Islands

Introduction

- Antarctic tourism has grown increasingly popular in the last decade and diversified into an ever wider range of activities, transport modes and destinations. The continued success of Antarctic tourism is welcome. With this increase, and a number of incidents where medical attention has been required, there is a need for operators to assess and review the medical care on vessels and available on-shore to ensure a robust and safe medical provision.
- The aim of this document is to identify the specific medical risks associated with travel to South Georgia with potential wider applicability to the southern oceans, assess the current medical professional standards being delivered and offer advice and guidance regarding appropriate medical provision of care.
- 3. The guidance offered in this document reflects expert medical advice prepared by World Extreme Medicine. The Government of South Georgia & the South Sandwich Islands (GSGSSI) has made these guidelines available for the purpose of assisting operators of vessels to determine the level of medical care provision that is appropriate for their vessels. These guidelines are advisory only and are not prescriptive or comprehensive. It is for operators to decide what medical care arrangements they should make for their vessels. Operators of vessels are responsible for the health, safety and welfare of passengers and crew on board their vessels and during on-shore excursions and GSGSSI accepts no liability arising from the use of these guidelines. Operators are strongly encouraged to read these guidelines carefully, take such further advice as they consider necessary and consider what level of medical care they should provide on their vessels.

Antarctic Tourism

4. The interest in the medical capabilities of visiting cruise vessels to South Georgia & the South Sandwich Islands became particularly acute after the unfortunate death of a visitor to South Georgia in January 2012. Acting on the recommendations of the Coroner, a review of activities and medical arrangements was commissioned by GSGSSI in 2013. The Coroner's recommendation to GSGSSI included:

- Engagement with IAATO (including members) and any appropriate medical authorities and organisations to consider what improvements and/or minimum medical standards should apply to trips to such remote places as South Georgia and the Antarctic;
- 5. The following 2013-14 season GSGSSI reported in total 55 cruise ship visits, carrying 7,024 passengers. This was an increase of 1,232 passengers over the previous season, bringing visitor numbers back in line with figures recorded four seasons previously. This figure has since increased to >8700 passengers in the last season. Vessel feedback and the first hand experience at King Edward Point indicated that visiting cruise ships had variable levels of medical capability. Whilst some were able to function independently, others had to draw on the limited resources of the medical facilities at the British Antarctic Survey station.
- 6. The medical officers at King Edward Point are equipped and insured to provide daily medical care to the base staff and only to provide emergency assistance to visitors. This should be a rare event if the cruise operators ensure an independent medical infrastructure.
- 7. Over the same 2013-14 period there was also a slight increase in the number of yacht visits over the previous season with 18 visits by 15 different yachts, amounting to a total of 214 people. There were 4 overland expeditions, 3 of which were yacht supported and one that was supported by a cruise ship.
- 8. The expansion of tourism has also seen an increase in adventure tourism with a larger number of tourists engaging in scuba diving, kayaking, climbing and skiing expeditions and short trips.



Sub Polar Vessels And Categorisation

- **9.** The environment and nature of tourist activity in the sub-polar regions influences the size and configuration of the ships. The International Association of Antarctic tour Operators (IAATO) categorises these vessels depending on the number of passengers:
 - C1 Traditional expedition ships that carry 13-200 passengers and are making landings
 - C2 Mid-sized vessels that carry 201-500 passengers and are making landings
 - CR Vessels that carry more than 500 passengers and do not make landings (except possibly at Grytviken, subject to the vessel passenger capacity).
 - YA Sailing or motor yachts that carry 12 or fewer passengers
- **10.** The size of the vessel and number of passengers is important as many of the medical recommendations below are based on larger vessels operating in significantly quieter and safer waters.

Current Regulation of Medical Standards of Antarctic Tourism

- Both the Antarctic Treaty System and the IAATO emphasize the importance of safety, the necessity for adequate contingency planning, search and rescue and appropriate insurance.
- 12. International Maritime Law provides some guidelines for the provision of medical care, but it covers all vessels at sea and the minimum medical standards have been developed for crew and not for tourists and are not specific for sub-polar waters.
- 13. The Cruise Lines International Association in 1998 in association with the American College of Emergency Physicians developed and published the guidelines on appropriate emergency care and health care maintenance for passengers and crew on board ships. They are thorough, however, the guidelines are relevant to vessels operating in less hostile environments than subpolar waters with different passenger demographics, a different collection of presenting medical conditions and do not refer to yachts, all of which significantly alter the medical provision of care.
- Currently there are no formal guidelines or medical standards covering the delivery of medical care in subpolar waters.

Common medical conditions presenting in Antarctic tourism

- 15. There is very little published research on the common medical conditions presenting to medical staff providing clinical cover for vessels in subpolar waters. Two papers published in 2007 and 2014 followed over 3000 passengers on 37 voyages in one season in Antarctica. The main issues identified were:
 - 1. Motion Sickness
 - 2. Infections
 - 3. Musculoskeletal injury (approximately 33% ashore)
 - 4. Ear, Nose, Throat (ENT)
 - 5. Dermatology
 - 6. Psychiatric
- **16.** The results of the papers are in keeping with previous research carried out over a number of years on expeditions to remote environments.
- 17. Looking at the research and drawing on experience, it appears there are 7 principal clinical areas and groups which need examination, assessment and preparation for intervention:
 - 1. Crew
 - 2. Passengers
 - 3. Ship related medical conditions
 - 4. Shore related medical conditions
 - 5. Environmental medical conditions
 - 6. Trauma and critical medical care
 - 7. Prolonged field care

Crew

- 18. Theoretically the crew should be experienced in the environment and should be less likely than the passengers to present with the 6 principal medical conditions above. They will however suffer and present with the standard medical problems seen by any primary care physician around the world. Their exposure to the passengers will result in an increase in non-endemic communicable diseases of aerosol and faecal oral origin. They may well present with specific diseases endemic in their country of origin or indeed countries transited en-route to the embarking vessel. The most common conditions likely to present themselves among crew are:
 - 1. Endemic diseases
 - 2. Upper respiratory tract infections
 - 3. Gastroenteritis infections
 - 4. Environmental medical conditions

Passengers

- 19. The passengers are likely to present with the 6 principal medical conditions above. In addition the medical staff need to be prepared to manage the rare traumatic or medical emergency. The older demographic of the passengers will mean they have a predisposition to cerebrovascular and cardiovascular events in particular, which may be exacerbated by environmental factors such as cold, dehydration through motion sickness or infection. Passengers may also bring diseases endemic to their country of origin. The most common conditions likely to present themselves among passengers are:
 - 1. Motion Sickness
 - 2. Respiratory Infections
 - 3. Musculoskeletal injury (approximately 33% ashore)
 - 4. ENT
 - 5. Dermatology
 - 6. Psychiatric
 - 7. Endemic disease
 - 8. Trauma and medical emergencies

Ship Related Medical Conditions

- 20. The environment on board a vessel in the sub polar waters has the capacity to generate injuries and illnesses associated with movement and exposure to individuals from a diverse environmental background and hence potentially interesting communicable endemic diseases. Key ship-related medical conditions are therefore expected to be:
 - 1. Motion Sickness
 - 2. Musculoskeletal injuries
 - 3. Upper Respiratory Tract Infections
 - 4. Gastroenteritis infections
 - 5. Trauma

Shore Related Medical Conditions

- **21.** From the point of embarkation from the main vessel until their return, the passengers and crew are exposed to a completely different set of risks. The primary risks during this period are related to:
 - 1. Movement across an unstable environment, whether that be a RIB, glacier, snow, uneven ground
 - 2. Environmental conditions: cold terrestrial and cold immersion
 - 3. Cardiovascular disease (CVA) and Coronary Heart Disease (CHD) related to exertion
 - 4. Wildlife: including seal bites

Hence the primary medical conditions anticipated will be:

- 1. Musculoskeletal injury
- 2. Cold injury
- 3. Trauma
- 4. Drowning and near drowning
- 5. Medical emergencies

Environmental Medical Conditions

- **22.** The principal medical conditions will be related to the terrestrial cold and possible immersion. Hence the physician should predominantly be prepared to manage:
 - 1. Accidental Hypothermia
 - 2. Cold injuries; Non Freezing Cold Injury (NFCI), frostnip and frostbite
 - 3. Immersion hypothermia
 - 4. Ophthalmic conditions
 - 5. ENT medical conditions

Trauma and Critical Medical Emergencies

23. The predominant age of the passengers and some of the staff will mean they are at an increased risk of suffering from potential critical medical and surgical emergencies, in particular CVAs and CHD events. In addition there is always the risk of significant trauma at any stage in a voyage, both on shore and onboard the vessel.

Prolonged Field Care

24. The very nature of the environment and the relative isolation of the destinations means that the patient requiring medical intervention will likely require management for up to several days by the primary responsible physician. The capacity of the physician to be able to work independently is imperative and fundamental to the care of the sick patient. Infrastructures can be put in place, which allow telemedicine capability/satellite reachback and senior clinical advice and intervention, but the treating physician will require adequate skills and clinical facilities and equipment to diagnose, manage and transfer patients who are potentially critically unwell over a prolonged period of time.

Medical Professional Clinical Standards to Provide Adequate Medical Cover in South Georgia and Other Sub-polar Waters

- 25. In 2015 the Faculty of Pre-Hospital Care, Royal College of Surgeons of Edinburgh published their guidelines for the medical provision of care in wilderness environments. It was recognised that the scope of practice for wilderness medicine covers elements of primary healthcare, pre-hospital emergency medicine and preventative medicine. Some unique competencies were also identified. Further to this, the panel recommended the use of a matrix and advisory expedition medic competencies relating to the remoteness and medical threat of the expedition. Our proposals are based on this recommendation.
- 26. The following sections provide a sample guide to the medical kit, medical expertise, and medical facilities for vessels when operating in the sub-Antarctic. These are based on an assessment of the risks and conditions most likely to arise. They do not purport to be comprehensive and we encourage operators to refine these lists to suit the specific nature of their visits including vessel size, categorisation, clinical skills, product availability, medical support and passenger demographics among other factors. GSGSSI accepts no responsibility for the sample guides and it is for operators of vessels to determine the medical care provision for their vessels.

Medical Kit on Vessels

- 27. We suggest a four tier modularised system based upon the size of vessels entering the sub polar waters as set out below and in table 1. These are directly related to the IAATO vessels categorisation which is already in use:
- 1.C11 clinical kit module, 5 guide kits, 1 deployable medical kit
 - 2. C2 2 clinical kit modules, 5 guide kits, 1 deployable medical kit
 - 3. CR2 clinical kit modules, 5 guide kits, 1 deployable medical kit
 - 4. YA 2 guide kits

| | Category | | | |
|---|------------------------------------|------------------------------------|---|---------------------------|
| Kit | C1 | C2 | CR | YA |
| Ship Clinical Kit Annex A | Yes 1 module | Yes 2 modules | Yes 2 modules | NA |
| Advance Airway Module Annex A1 | Yes | Yes | Yes | NA |
| Advance Monitoring Module and CPR Annex A2 | Yes | Yes | Yes | NA |
| Paediatric module Annex A3 | If Applicable | If Applicable | If Applicable | NA |
| Medical Professional Onshore / Deployable Medical Kit Annex B | Yes 1 deployable kit | Yes 1 deployable kit | Yes (If landing 1 deployable kit | NA |
| Non Medical Professional onshore medical Kit / Guide Kit Annex C | Yes 5 guide kits recommended | Yes 5 guide kits recommended | Yes If landing 5 guide kits recommended | Yes 2 kits recommended |
| Supplemental Medical Kits for Adventure Activities Annex D | If Applicable | If Applicable | If Applicable | If Applicable |

Table 1: Suggested medical kit by type of vessel

Medical Experience on vessels

- 28. We suggest that larger commercial vessels (including cruise ships) responsible for the care of passengers and crew and working in the remoteness of the environment in the subpolar waters should engage an advanced wilderness medicine practitioner with the capacity to function independently and over protracted periods and managing critically ill patients without the possibility of senior intervention and advice.
- 29. It is recognised that smaller vessels (including yachts) may not have the capacity to employ experienced medical professionals for the number of passengers. And it is accepted that under these conditions a non-health care professional with a nationally recognized first aid certificate, caring for patients as a secondary role would be acceptable.

- **30.** However we feel that a robust system of telemedicine/ medical reachback which allows the non-medical professional to seek expert advice would be essential on yachts (commercial and private) and other smaller vessels.
- **31.** It would be sensible that those crew responsible for the care of passengers removed from the normal medical infrastructure of the vessel should have a nationally recognised first aid certificate. This would include boat handlers and guides.

Table 2: Suggested clinical expertise

32. The following table (table 2) provides a guide to the clinical qualifications, experience, certifications and skills for medical professionals and non-medical professionals on vessels visiting the sub-Antarctic.

| | Medical Professionals (all C1, C2 and CR Vessels) | Non-Medical Professionals (including Yachts) |
|----------------------------------|--|--|
| Qualifications and experience | All clinical staff hold current full registration and a license to practice. All clinical staff have at least three years of post-graduate / post-registration experience in general and emergency medicine | Recognised first aid certificate covering Basic medical emergencies First on scene medical and trauma intervention Basic life support skills Comfortable delivering IM injectables Wound management and closure |
| Certifications | All clinical staff certified in advanced life support such as ACLS, ALS, PHLS and ATLS/BATLS or an equivalent certification or physician specialist training Ships carrying children ≤ 12 years old should have at least one physician certified in PALS, APLS or an equivalent certification or specialist training All clinical staff certified in MIMMS or equivalent All clinical staff have an up to date Hep B immunity certificate All clinical staff have an appropriate DBS or equivalent | |
| Skills | All clinical staff should be confident in a number of practical medical skills a) Orthopaedic procedures - fracture and dislocation management b) Minor surgical skills c) Patient procedural sedation d) Basic dental skills e) Basic gynaecological conditions and interventions f) Standard ENT and Ophthalmology conditions and emergencies g) Critical care skills and experience for prolonged field care | |

Sample Medical Facilities, Equipment and Administration on-board Vessels and on-shore

The following provides a sample guide to the medical facilities, equipment and administration that could provide the basis of a minimum standard on board relevant vessels. Operators will wish to refine these lists to suit the specific nature of their visits including vessel size, categorisation, clinical skills, product availability, medical support and passenger demographics among other factors.

C1, C2 and CR Vessels Medical facilities

- 1. Contains adequate space for diagnosis and if possible treatment of patients with 360° patient accessibility around at least one bed.
- 2. Has hand wash sinks with hot/cold mixing tap, liquid antibacterial soap, paper towels and waste bin in or adjacent to all clinical exam rooms. For exam rooms without sinks, alcohol hand sanitizers should be available.
- **3.** Has adequate space for storage of medical supplies, equipment and drugs.

- 4. Has an examination, treatment and inpatient area adequate for the size of the ship.
- 5. Has at least one examination / stabilization room.
- 6. Has the capacity to create at least one ICU room.
- 7. Maintains a minimum number of inpatient beds of one bed per 200 passengers and crew.
- **8.** Maintains an isolation room or the capability to provide isolation of patients.
- Refrigerator and freezer for the safe storage of medicines and supplies.



Equipment On Board Cruise Ships:

- Vital signs equipment: Sphygmomanometers, stethoscopes, thermometers (including core/rectal temperature capabilities) and pulse oximeter (SaO2).
- 2. Airway equipment bag valve mask, laryngeal mask airway/supraglottic airway, laryngoscopes, endotracheal tubes, stylet/bougie, lubricant, portable suction equipment, surgical airway capability.
- **3.** At least two cardiac monitors. Capable of 12 lead ECG, automated BP, pulse oximetry and waveform capnography
- **4.** At least two defibrillators, one of which should be a portable automated external defibrillator (AED).
- 5. Electrocardiograph (ECG) capability.
- 6. Nebulizer capability.
- 7. Automatic medical ventilator.
- 8. Oxygen cylinders CD and at least one oxygen concentrator and a sufficient number of flow regulators, rebreath face masks and connections
- 9. Wheelchairs.
- 10. Stair chair and stretcher.
- 11. Long and short back boards with cervical spine immobilization
- 12. Trauma supplies as in Annex A
- 13. Medical supplies as in Annex A
- 14. Paediatric supplies as in Annex A
- 15. Laboratory capabilities: Point of care testing
 - a. Near patient testing for Hb, electrolytes, blood gases, coagulation, cardiac enzymes
 - b. Urinalysis, with minimum of specific gravity, protein, red blood cells, white blood cells, nitrites, urobiligen, ketones, pH, glucose and albumin
 - c. Pregnancy: qualitative HCG
 - d. Blood glucose
 - e. Malaria RDT
 - f. Portable ultrasonography
- **16.** All medical equipment is maintained in accordance with recognized biomedical quality control recommendations.

Vessel Pharmacy:

- 1. Maintain an evidence-based formulary on each ship with sufficient quantities of medications as listed in Annex A.
- 2. Maintain controlled drug documentation
- 3. Covering
 - a. Gastrointestinal system
 - b. Cardiovascular system medications
 - c. Respiratory system medications
 - d. Central nervous system medications
 - e. Infectious disease medications
 - f. Endocrine system medications
 - g. Obstetrics, gynaecology and urinary tract disorder medications
 - h. Fluids and electrolytes such as oral and parenteral.
 - i. Musculoskeletal and joint disease medications
 - j. Eye medications
 - ${\bf k.}\;$ Ear, nose and throat medications
 - I. Skin disease medications
 - m. Vaccines
 - n. Anaesthesia medications

Vessels Clinical Practice:

- All passengers and crew will have a medical questionnaire prior to embarkation to enable appropriate risk analysis and medical estimate before the employed clinician becomes responsible for care.
- 2. The vessel will have an established and reviewed casualty estimate and evacuation plan for all regions of the voyage and planned activities.
- 3. An audit program of the medical facility and equipment that is conducted by healthcare professionals or persons experienced in health care audit before and after the voyage.
- 4. Medical facility shall have established medical policy and procedures which have been reviewed by a senior clinician.
- 5. Designated rapid medical response team, which is trained and exercised at least monthly in MIMMS and medical emergencies both on board and on shore.
- **6.** A dedicated medical emergency telephone number is advertised for both passengers and crew and is placed on telephone around the ship.
- 7. When the ship is at sea, at least one clinician must be readily available to provide emergency medical care 24 hours a day.
- 8. When the ship is at anchor at least one clinical provider is available onboard.
- **9.** Ready access to both telephone and confidential email in order to communicate directly with shipboard and shoreside healthcare providers.
- **10.** All crew and passengers should receive treatment in accordance with the general medical councils (or equivalent body) guidelines on standards of care.
- 11. A chaperone system is in place for the treatment and examination of children and the opposite sex where appropriate.



Vessels Documentation:

A medical record system that provides:

- 1. Well organised, legible and consistent documentation of all medical care.
- 2. Patient confidentiality. All patient medical records should be regarded as strictly confidential medical information and should not be accessible to non-medical staff without the express written consent of the patient except as necessary to maintain safety on board or ashore, or to comply with any legal requirements to review, report or log the information.
- 3. All documentation is held in a secure location.
- 4. Documentation is kept for every medical intervention.

Medical Equipment On Shore For Responsible Medical Professionals:

The suggested medical bag and contents are in Annex B. It is also suggested that clinicians have access to advanced diagnostic and resuscitation equipment within a short time frame of at least 10 minutes. This may necessitate the carriage of all equipment on shore or may allow advanced emergency equipment to keep onboard but ready for emergency access.

Medical Equipment On Shore For Guide/ non-medical professionals and equipment carried on yachts:

The suggested medical equipment for guides and those non-medical professionals responsible for medical care on shore or on yachts is in Annex C. We realize that the medical skills of non-medical professionals responsible for the care of clients on yachts are varied and if individuals and companies wish to take a more comprehensive medical kit we would only urge them to ensure they have the appropriate medical skills and training to use the kit and have appropriate patient group directives and clinical governance structures.

Medical equipment For Specific Events: Diving, Climbing, Skiing

Adventure activities which have specific inherent dangers require specific supplemental medical equipment. The supplemental kit lists are itemised in Annex D.





Annexes A – D: Sample Kit Lists

The following kit lists have been put together as an example of the suggested medical equipment and experience for vessels operating at South Georgia & the South Sandwich Islands. These are based on an assessment of the risks and conditions most likely to arise. They do not purport to be comprehensive; we also recognise that operators will wish to refine these lists to suit the specific nature of their visits taking into account such issues as vessel size, categorisation, clinical skills, product availability, medical support and passenger demographics among other factors. There may be different recommended practices for dealing with medical conditions in different countries: these sample modules have been designed by a UK-based team and some of the medication names may change or indeed may not be available in some countries where suitable alternatives may need to be considered.

Annex A: Sample Ship Clinical kit - 1 clinical module

| IV MEDICATION | | | |
|-------------------------------------|----|---------------------------------|----|
| Glucose 50%/50ml | 5 | Hydrocortisone 100mg | 10 |
| Amiodorone 300mg/10ml | 5 | Haloperidol 5mg/ml | 10 |
| Atropine autoinject 600mcg/5ml | 5 | Midazolam 10mg/5ml | 10 |
| Adrenaline 1;10000 autoinj | 5 | Lorazepam 4mg/ml | 10 |
| Cefotaxime 1g | 10 | Flumazenil 500mcg/5ml | 5 |
| Metronidazole 5mg/ml 100ml infusion | 10 | Ketamine 10ml (100mg/ml) | 5 |
| Lidocaine 50mg/5ml | 10 | Glucagon | 5 |
| Paracetemol 1g/100ml | 10 | Clexane 60mg | 10 |
| Pantoprazole 40mg | 10 | Clexane 80mg | 10 |
| Water for injections 5mls | 50 | Lidocaine 1% | 20 |
| Tranexamic acid (500mg) | 10 | Streptokinase 1.5miillion units | 2 |
| Chlorphenamine 10mg/ml | 10 | Hydrocortisone 100mg | 8 |
| Dexamethsaone 4mg/ml | 10 | Metoclopramide 10mg/1ml | 10 |
| Furosemide 20mg/2ml | 20 | Adrenaline 1:1000 | 20 |
| Metoprolol 1mg/ml - 5ml | 10 | Novomix 30 Flexpen | 10 |
| Morphine 10mg/ml | 20 | Novorapid 100u/ml 10 mls | 10 |
| Naloxone 400mcg/ml | 10 | Syntocinon 10 units/ml | 10 |
| Metoclopramide 10mg/2ml | 10 | Tetanus protocol pack | 10 |
| Ondansetron 4mg/ml | 10 | | |

| IV ACCESS | | | |
|-----------------------|----|--|-----|
| Venflons Grey 16 | 50 | Butterflies green & blue | 50 |
| Venflons Green 18 | 50 | IV dressings | 100 |
| Venflons Pink 20 | 50 | Needles 21G Green | 50 |
| Venflons Blue 22 | 50 | Needles 25G Orange | 50 |
| Syringes 10ml | 50 | Needles 19G White | 50 |
| Syringes 50ml | 50 | Needles 23G blue | 50 |
| Syringes 3ml + needle | 50 | IV Giving Set | 100 |
| Syringes 1ml | 50 | IV Bungs | 100 |
| Syringes 5ml | 50 | IO access pack, automated and manual and appropriate | |
| Sharps Box 0.25l | 10 | needles | 2 |
| Tourniquet | 10 | | |
| IV FLUIDS | | - | |

| 0.9% NaCL 1 litre 50 0.9% NaCL 500mls 10 | L 500mls 10 | 0.9% NaCL 500mls | 50 | % NaCL 1 litre |
|--|-------------|------------------|----|----------------|



| AIRWAY MANAGEMENT | | | |
|---|----|---|----|
| 1 set ET tubes paeds and adults | 5 | NP Airways Size full set | 10 |
| Bougie | 5 | Guedel Size full set | 10 |
| IGel/LMA full set of sizes | 5 | Oxygen tubing | 10 |
| High Concentration oxygen masks and connections | 20 | Nasal Cannulae | 20 |
| Chest Drain Kit | 10 | Nebuliser masks | 10 |
| Hand Held Portable Suction unit | 10 | Peak Flow Meter and disposable mouth pieces | 2 |
| Laryngoscope and blades full set | 2 | Spacer | 2 |
| Bag-Valve-Mask | 5 | Chest decompression needles | 10 |
| Regulator | 5 | Portable chest drain | 10 |
| Aspiration catheters | 5 | Chest seal with valve | 10 |
| Oxygen valves | 5 | Chest seal occlusive | 10 |

WOUND CLOSURE

| Steristrips | 100 | Ribbon Gauze 5cm x 7.5cm | 50 |
|--------------------------|--------------|--------------------------|---------|
| Scalpels | 20 | Instruments | 20 SETS |
| Glue 3g | 14 | Sutures 0 | 20 |
| Sterile Gloves Size 8 | 5 BOXES | Sutures 3/0 | 20 |
| Sterile Gloves Size 6 | 5 BOXES | Sutures 4/0 | 20 |
| Non sterile gloves S/M/L | 5 BOXES EACH | Sutures 5/0 | 20 |
| Suture Packs | 20 | Scalpel Blades | 50 |

| DRESSINGS | | | |
|-----------------------------------|---------|-----------------------------------|----------|
| Sleek 2.5cm | 20 | Non-sterile swabs | 20 PACKS |
| Elasticated tape 2.5 | 20 | Moleskin | 20 |
| Zinc Oxide tape 1.5cm | 20 | Absorbent dressing pads 10 x 10cm | 20 |
| Zinc Oxide tape 5.0cm | 20 | Non-adherent dressings 5 x 5cm | 100 |
| Nasal tampon | 20 | Jelonet 5 x 5cm | 20 |
| Sterile Swabs | 2 BOXES | Jelonet 10 x 10cm | 20 |
| Granuflex | 20 | Atrauman 10 x 7.5 | 20 |
| Non-adherent dresssings 20 x 10cm | 100 | Honey dressings 10 x 10 | 20 |
| Adhesive dresssings 10 x 9cm | 100 | Allevyn Heel pads | 20 |
| Non-adherent dressings 5 x 5cm | 100 | Kinesio Tex Tape | 5 rolls |
| Non-adherent dressings 10 x 10cm | 100 | Eye pad | 20 |
| Bactigras 5 x 5 cm | 20 | Large abdo wound dressing | 4 |

| UROLOGY PACK | | | |
|---------------------------------------|----|-------------------------|----|
| Foley Catheter Size 12 | 2 | Pack inco nappies | 1 |
| Foley Catheter Size 14 | 2 | Instagell | 40 |
| Foley Catheter Size 16 | 2 | Female Bed Pan | 1 |
| Foley Catheter Size 18 | 2 | Male Bed Pan | 1 |
| Catheter Bags | 13 | Catheter Insertion Kit | 2 |
| Conveen | 2 | Travel John | 18 |
| Baird Urine Meter + bag 350ml + 2.85l | 2 | "Go Anywhere Toilet Bag | 2 |

- •



| HARDWARE | | | | |
|--|---------|---------------------------------|--------------------------|--|
| Triage card set | 20 | Trauma Shears | 5 | |
| Magic marker | 1 | Petzl Head torch +batteries | 5 | |
| White board and markers | 1 | Pentorch | 5 | |
| MIMMs kit | 5 | Scalpel size 10 and 11 | 1 box of each | |
| Basic Life Support protocol | 1 | Safety pins | 3 packs | |
| Medical Field Guide | 1 | Pocket mask | 10 | |
| Patient Report Form & Pencil | 2 | Tongue depressors | 5 boxes of 100 | |
| MEDIC fluorescent vest | 2 | Hand sanitiser 5ml | 1 box | |
| Hand and foot warmers | 6 boxes | Dental kit | 10 | |
| Neck collars | 4 | Oxygen /tubing/regulators/face | Enough to allow critical | |
| Spinal board and head blocks (vacuum mattress) | 2 | masks | care resus for 3 days | |
| stretcher | 2 | Nebuliser, tubing and masks for | 2 + 20 tubing/mask | |
| SAM splints | 10 | medication | systems | |
| Kendrick traction device | 4 | Oxygen concentrator | 1 | |
| SAM Pelvic Splint | 5 | | | |

| DIAGNOSTIC BOX | | | |
|--|-----------|-----------------------------------|----|
| BraunTympanicThermometer and oral thermometer/rectal thermometer | 2 of each | Tendon Hammer | 1 |
| Low recording thermometer | 1 | Stethoscope lithman | 2 |
| Pulse Oximeter | 2 | Otoscope and ophthalmoscope | 2 |
| Urine Dipstix | 4 boxes | Glucometer and sticks | 2 |
| Pregnancy test | 50 | Malaria RDT | 10 |
| Boso Profitest Sphygmomanometer | 4 | Point of care technology as above | 2 |



| MEDICATION | | | |
|---------------------------------|-----|--|-----|
| Paracetamol 500mg | 500 | Dexamethasone 2mg | 100 |
| Ibuprofen 400mg | 500 | Nifedipine 20mg | 100 |
| Diclofenac 50mg | 500 | Co-amoxiclav 500/125mg | 500 |
| Codeine 30mg | 500 | Flucloxacillin 250mg | 500 |
| Tramadol 50mg | 500 | Cephalexin 500mg | 500 |
| Buprenorphine (=Temgesic) 200mg | 500 | Ciprofloxacin 500mg | 500 |
| Aspirin 300mg | 100 | Erythromycin 250mg | 500 |
| Clopidogrel 300mg | 100 | Metronidazole 400mg | 500 |
| Suscard Buccal 2mg GTN tab | 50 | Diazepam 5mg | 100 |
| Bisoprolol 2.5mg | 100 | Otomise ear spray | 10 |
| Glucogel Hypostop | 20 | Ear tampons | 10 |
| Furosemide 40mg | 100 | Norethisterone 5mg | 90 |
| Lisinopril 2.5mg | 100 | Nasonex nasal spray | 5 |
| Prochloperazine (Buccastem) | 50 | Chloramphenicol ointment | 20 |
| Omeprazole 20mg | 100 | Tetracaine minims | 50 |
| Loperamide 2mg | 500 | Carbomer 980 for dry eyes | 40 |
| Chlorphenamine (=Piriton) 4mg | 100 | Fluroscein minims | 50 |
| Cetirizine 10mg | 100 | Cyclopentolate minims | 20 |
| Prednisolone 5mg | 500 | Aloe Vera | 10 |
| Salbutamol inhaler | 20 | Doxycycline 100mg | 80 |
| Salbutamol nebules 5mg | 50 | Amitryptyline 10mg | 100 |
| Atrovent nebules 250mcg | 50 | Malaria treatment pack containing diameter and | 5 |
| Acetazolamide 250mg | 100 | quinine | Э |

The following modules are part of the clinical module on the vessel but are deployable should there be the need on shore. As such they need to be kept in a state of readiness and in a robust packing system such as a pelican case.

Annex A1: Advanced Airway Module

Guidelines which necessitate that physicians have anaesthetic advanced airway skills with RSI capability would preclude many physicians from being able to work in subpolar waters. The advanced airway module follows the PALM guidelines to enable good and safe management of airways during medical and traumatic emergencies.

| McGill's forceps | 1 | |
|--|--------|---|
| KY jelly | 5 sach | |
| Portable suction device | 2 | And tubing |
| I-gel/LMA | | 1 of each size appropriate to the age range on the vessel |
| Laryngoscope | 1 | And age appropriate blades |
| Mini tracheostomyset | 1 | |
| Bag & Valve Mask + reservoir, tubing and connections | 1 | |
| oxygen | 1 | CD cylinder or appropriate alternative |
| Portable automatic ventilator | 1 | |
| Anaesthetic drugs according to skill of physician | | Morphine, midazolam and ketamine are in the iv pack |

Annex A2: Advanced Monitoring Module and CPR

The medical professional will carry in their on shore kit, a basic monitoring and diagnostic kit. However for more advanced intervention and monitoring the medical professional may wish to consider their capacity to monitor adults and children in areas such as:

- 1. Blood Pressure
- 2. Blood glucose
- 3. Oxygen Saturation
- 4. Heart Rate
- 5. ECG 12 Lead
- 6. ETCo2, waveform capnography
- 7. Defibrillation (manual)

They will also need to have the medication to carry out advanced life support with medication recommended in the ALS and PALS protocols pertinent and current at the time of debarkation.

The advanced monitoring and CPR Module will be heavy and could be rapidly deployable from the vessel if required. This system of rapid deployment will require testing to ensure the crew are competent in the system of deployment.

Annex A3: Paediatric module

Additional paediatric medication and hardware may be required depending on the clients on the vessel. The medication should mirror the clinical module above and be age appropriate.

Annex A4: Evacuation module

An injured patient on shore may need rapid transport to the medical facilities on board the ship to stabilise and initiate medical intervention. You should consider including the following within a module for evacuation:

- Spinal board/scoop stretcher
- Head blocks
- Cervical collar
- Hypothermia blanket
- Bubble wrap or blanket system
- Vacuum mattress

This should be ready to deploy with the appropriate modules above



Annex B: Sample Medical Professional on shore medical kit: deployable medical kit: can be broken down to 2 modules depending on the time ashore.

(Red designates items considered to be high priority; blue designates items for consideration when undertaking longer landings or more isolated activities).

| ltem | Dose/size | ltem | Dose/size |
|---|-----------|-------------------------------|-----------|
| Casualty report form and pencil | 1 | Marker Pen | 1 |
| Trauma Care | | | Į |
| CAT tourniquet | 4 | chest seal | 4 |
| Novel haemostatic agent | gauze | Decompression needle | 4 |
| Pressure dressing | 2 | Scissors Tuff Cuts | 1 |
| Nasopharyngeal Airway | Size 6 x2 | SAM splint pelvis | 2 |
| Nasopharyngeal Airway | Size 7 x2 | Kendrick traction device | 2 |
| Dressings | , | | |
| Scissors Sharp | 1 | Antiseptic wipes | 10 |
| Bandages assorted | | Band-aids: various | |
| Ambulance dressing No 3 | 2 | Blister dressing (eg Compeed) | 5 |
| Eye pad and bandage | 2 | Elastic Tape 2.5cm | 1 |
| Nitrile Examination Gloves pairs appropriate to clinician | 4 | Sleek Tape 2.5cm | 1 |
| SAM splint | 1 | Zinc oxide Tape 2.5cm | 1 |
| Swabs: 10x10 (5) | | Finger tubigrip | 1 |
| Jelonet: 10x10 | 2 | Clingfilm roll | 1 |
| Non-adherent Dressing: 10x9 | 2 | lodine solution 10ml | 2 |
| Adhesive Dressing:10x9,10x15 | 2 | Water for Injection 10ml | 2 |
| Granuflex: 10x10 | 2 | Burn bags | 2 |
| Steristrips pack | 1 | Safety pins large | 10 |
| Wound glue | 1 | Disposable scalpel No 10 | 2 |
| Diagnostic kit | | | |
| Thermometer oral | 1 | stethescope | 1 |
| Pulse Oximeter | 1 | Manual BP Cuff | 1 |
| Otoscope and ophthalmoscope | 1 | Blood glucose monitor | 1 |
| Creams | | | |
| Aloe vera gel 10ml | 1 | Betamethasone Oint 0.1% | 1 |
| Suncream 10ml | 1 | Fuscidic acid cream | 1 |
| Anusol | 1 | Clotrimazole 1% | 1 |
| Ibuprofen Gel | 1 | Aciclovir (=Zovirax) | 1 |
| Painkillers | | | |
| Paracetamol 500mg | 32 | Tramadol 50mg capsules | 32 |
| Ibuprofen 400mg | 12 | Oral analgaesic gel | 1 |
| Diclofenac 50mg | 12 | Buprenorphine 200mcg tabs | 24 |
| Codeine 30mg tabs | 12 | | |
| Antibiotics | | | |
| Cefalexin 500mg | 21 | Metronidazole 400mg | 21 |
| Ciprofloxacin 500mg | 14 | | |

- (



| ltem | Dose/size | ltem | Dose/size |
|-------------------------------|---|-----------------------------|---|
| Allergy / Respiratory | | | |
| Chlorphenamine 4mg tabs | 16 | Adrenaline/epipen | 2 |
| Cetirizine 10mg tabs | 4 | Salbutamol Inhaler (100mcg) | 1 |
| Gastrointestinal | , i i i i i i i i i i i i i i i i i i i | | , i i i i i i i i i i i i i i i i i i i |
| Buccastem 3mg | 12 | Omeprazole tabs 10mg | 8 |
| Loperamide 2mg tab | 32 | Senna | 8 |
| Cardiac | | | |
| Aspirin 300mg dispersible tab | 4 | Suscard Buccal 2mg | 12 |
| Other | | | |
| Pseudoephedrine tab (Sudofed) | 16 | Diazepam 5mg | 4 |
| Handwarmers pair | 6 | | |
| Eyes | | | |
| Chloramphenicol eye oint | 1 | Fluorescein 2% | 1 |
| Carbomer 0.2% gel tears | 1 | Cyclopentolate 1% | 4 |
| Tetracaine 1% | 4 | | |
| injectables | | | |
| 3ml syringe and needle | 2 | 0.9% NS 500mls | 2 |
| 10ml syringe and needle | 2 | Giving set | 2 |
| IV cannulae | 16 and 18 x2 | Tranexamic acid 500mg/5mls | 4 |
| IV site dressing | 4 | Morphine 10mg/1ml | 2 |
| Sharps box | 1 | Naloxone 400mcg | 2 |
| IO Device | 1 | Metoclopramide 10mg | 2 |
| IO Needles | assorted | Midazolam 10mg | 2 |

Annex C: Non Medical Professional on shore Medical Kit: Guide kit

| ltem | Dose/size | Qty | Notes |
|-------------------------------|-------------|-----|----------------------|
| Hardware | | | |
| Heat pads | | 4 | |
| Gloves | Pair | 20 | |
| Syringe 5ml | | 10 | |
| Needles | green /blue | 20 | |
| Scissors - small | | 1 | |
| Scissors - trauma | | 1 | |
| Combat Application Tourniquet | | 2 | |
| Novel haemostaticagent | gauze | 4 | |
| Combat pressure dressing | | 4 | |
| Nasopharyngeal airway | Size 7 | 2 | |
| Nasopharyngeal airway | Size 6 | 2 | |
| chest seal | | 2 | |
| SAM Splint | | 1 | |
| Alco-wipes | | 20 | Cleaning wounds |
| Plasters/Bandaids | medium | 20 | Small cuts/abrasions |



| ltem | Dose/size | Qty | Notes |
|--------------------------------------|------------|-----|---|
| Paraffin gauze dressing (eg Jelonet) | 10 x 10cm | 5 | Non-stick dressing for graze or wound |
| Blister Dressing (eg Compeed) | | 10 | |
| Granuflex | 10 x 10cm | 5 | Cut to size for blisters / hot spots |
| Gauze | assorted | 50 | Wiping/absorbing blood etc, padding |
| Adhesive dressing (steroplast) | 10 x 9 | 10 | |
| Non-adherent dressings | assorted | 10 | Non-stick dressing for any wounds |
| Finger tubigrip | | 1 | To hold dressing on finger |
| Zinc Tape | | 2 | Adhesive tape |
| Sleek Tape | | 1 | Adhesive tape |
| K-lite bandage | 7 cm | 5 | Bandage to hold dressing on, can give some support |
| Ambulance dresssing No 3 | 20 x 28cm | 5 | Dressing and bandage all in one |
| Steristrips | 6 x 75mm | 2pa | Closing small wounds |
| Skin glue | | 2 | Closing small wounds |
| Injectable | | | |
| Adrenaline for IM injection | 1 in 1000 | 4 | 0.5ml IM can repeat every 5 minutes - life- threatening allergy (anaphylaxis) |
| Medications | | | |
| Paracetamol | 500mg | 100 | 2 tabs four times a day (max 8 tabs/day) for pain |
| Ibuprofen | 400mg | 84 | 1 tab three times a day for pain/inflammation |
| Codeine | 30mg | 100 | 1-2 tabs four times a day (max 8 tabs/day) for severe pain |
| Buprenorphine | 200mcg | 50 | 1 -2 tabs, three times a day (max 6 tabs/day) very severe pain |
| Aspirin | 300mg | 2 | 1 tab daily for heart attack |
| Suscard Buccal | 2mg | 2 | 1 tab three times a day for heart attack - place between lip & gum (after discussion with doctor) |
| Buccastem | 3mg | 30 | 1-2 tabs 2x a day for nausea/vomit - place between lip & gum |
| Loperamide | 2mg | 32 | 2 tabs after loose stool, 1 tab 4hourly (max 8 tabs/day) for diarrhoea |
| Chlorphenamine | 4mg | 28 | 1 tab four times a day for allergy-itch can make you drowsy |
| Prednisolone | 5mg | 48 | |
| Salbutamol inhaler | 200 doses | 2 | 2 puffs inhaled for relief of asthma/wheeze/shortness ofbreath |
| Antibiotics | | | |
| Cefalexin | 500mg | 10 | 1 tab 2 to 4 times a day depending on severity of infection |
| Erythromycin | 250mg | 56 | |
| Flucloxacillin | 500mg | 28 | |
| metronidazole | 400mg | 21 | 1 three times a day for 7 days |
| Eyes | | | |
| Chloramphenicol ointment | 4g | 1 | 4 times a day eye - for infections & snow blindness |
| Tetracaine 1% | Single use | 1 | Anaesthetic eye drops removing foreign Foreign bodies and snow blindness |

Annex D: Sample Supplemental Medical Kits for Specific Adventure activities

a. Diving

Diving necessitates the availability of a ready supply of oxygen until a decompression chamber can be reached

b. Skiing

Skiing injuries can be managed by the kit in the medical professional module or the guide kit

c. Kayaking

Kayaking injuries can be managed by the kit in the medical professionals module or the guide kit

d. Climbing

Climbing injuries can be managed by the kit in the medical professionals module or the guide kit

e. Altitude

The combination of cold temperatures, low barometric pressures and altitude can result in altitude related illness at a lower than anticipated altitude. The medication below is recommended for any trips above 2000m

| Medications | | | |
|--------------------------|-----------|----|--|
| Dexamethasone (IM) | 4mg/2ml | 10 | 8mg IM then 4mg 4 times/day - HACE unconscious |
| Salbutamol inhaler | 200 doses | 1 | 2 puffs inhaled for relief of asthma/wheeze/shortness ofbreath |
| Azetazolamide (= Diamox) | 250mg | 10 | 1 tab twice a day for altitude sickness |
| Dexamethasone | 2mg | 10 | 4 tabs then 2 tabs four times a day for HACE |
| Nifedipine retard | 20mg | 7 | 1 tab twice a day for HAPE |

